

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	1	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/771,099		02/02/2004	Makarand S. Shinde	FACT-01008US1 2047		
23910	7590	06/27/2005		EXAMINER		
FLIESLER		•	CHAN, EMILY Y			
SUITE 400	ARCAD.	ERO CENTER		ART UNIT	PAPER NUMBER	
SAN FRAN	CISCO,	CA 94111		2829		
				DATE MAILED: 06/27/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applicatio	n No.	Applicant(s)				
		10/771,09	9	SHINDE ET AL.				
	Office Action Summary	Examiner		Art Unit				
		Emily Y. C	han	2829				
Period fo	The MAILING DATE of this communication or Reply	appears on the	cover sheet with the c	orrespondence address				
A SH THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR RE MAILING DATE OF THIS COMMUNICATIO nsions of time may be available under the provisions of 37 CFF SIX (6) MONTHS from the mailing date of this communication, period for reply specified above is less than thirty (30) days, a period for reply is specified above, the maximum statutory per ure to reply within the set or extended period for reply will, by streply received by the Office later than three months after the med patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no eve . reply within the statu riod will apply and will atute, cause the appli	nt, however, may a reply be tim tory minimum of thirty (30) days expire SIX (6) MONTHS from cation to become ABANDONE	ely filed will be considered timely. the mailing date of this communication. (35 U.S.C. § 133).				
Status								
1) 🏻	Responsive to communication(s) filed on 2	7 April 2005.						
•		This action is no	on-final.					
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims							
5)⊠ 6)⊠ 7)⊠ 8)□	Claim(s) 12 and 13 is/are objected to. Claim(s) are subject to restriction and/or election requirement.							
	ion Papers							
10)⊠	The specification is objected to by the Exam The drawing(s) filed on <u>02 February 2004</u> is Applicant may not request that any objection to Replacement drawing sheet(s) including the cor The oath or declaration is objected to by the	s/are: a)⊠ acc the drawing(s) b rrection is require	e held in abeyance. See ed if the drawing(s) is obj	e 37 CFR 1:85(a). ected to. See 37 CFR 1.121(d).				
Priority :	under 35 U.S.C. § 119		•					
а)	Acknowledgment is made of a claim for fore All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bussee the attached detailed Office action for a	nents have been nents have been priority docume reau (PCT Rule	n received. n received in Applicati nts have been receive e 17.2(a)).	on No ed in this National Stage				
	ce of References Cited (PTO-892)		4) Interview Summary					
3) Infor	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB er No(s)/Mail Date		Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate atent Application (PTO-152)				

Application/Control Number: 10/771,099 Page 2

Art Unit: 2829

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. Claims 1 and 51 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The newly added features that "without electrically connecting to the probe contacts" and that " support means contacts the second side of the substrate" are not described in the specification.

Claim Objections

2. Claims 1 and 50 are objected to because of the following informalities: the claim language recited in claims 1 and 50 are unclear because in claim 1, the support means is recited "without electrically connecting to the probe contact" whereas in its dependent claim 50, the support means is recited to "contacts' the second side of the substrate ".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by Eldridge et al US Patent No. 6,483,328.

Eldridge et al ('328) is applied to claim 1 for the same reason as stated in the previous office action dated on 1-25-05.

Claims 1-4, 6-12, 14-15, and 50-53 are rejected under 35 U.S.C. 102(b) as being anticipated by the applicants' admitted prior art (see Fig. 2).

The applicant's admitted prior art is applied to claims 1-4, 6-12 and 14-15 for the same reason as stated in the previous office action dated on 1-25-05.

With respect to the newly added claims 50 – 53, the applicant's admitted prior art discloses (see Fig. 2) that the support means contacts the second side of the substrate within a defined area and the probe card comprising a plate attached to a printed circuit board (30). Note, applicants admit that the probe card of Fig. 3 of the instant invention which applicant claims invention, includes components providing electrical pathways, similar to the conventional probe card of Fig. 2 (see page 11 paragraph (0038) of the specification).

Therefore, the applicants' admitted prior art (see Fig. 2) anticipate the new added claims 50 - 53.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2829

4. Claims 5 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over by applicants' admitted prior art (Figs. 1-2) in view of Khandros et al US Patent No. 6,690,185.

Applicants' admitted prior art (Figs. 1-2) in view of Khandros et al ('185) is applied to claims 5 and 16 for the same reason as stated in the previous office action dated on 1-25-05.

Response to Arguments

5. Applicant's arguments filed 5-4-05 have been fully considered but they are not persuasive. Applicant argued that (1) claim I has been amended to claim a "support means positioned against a second surface of the substrate substantially opposite said probe contacts without electrically connecting to the probe contact" and that the support means (335) of Eldridge ('328) make electrical contact with probe contacts, and (2) the support means is claimed to be positioned "substantially opposite said probe contacts." and applicant's Fig. 2, however shows the supports identified in the Office Action (particularly 66) that are not substantially opposite the contacts 16.

With respect to applicant's argument (1) above, the examiner disagrees with applicants' assertion because the support means (335) of Eldridge ('328) is inherently supported by a mechanical means and the mechanical means of Eldridge ('328) would meet the claimed support means in the amended claim 1.

With respect to applicant's argument (2) above, it should be pointed out that applicants admitted in the instant specification (see page 11, paragraph (0036)) that the probe card of Fig. 3 of the instant application is similar to the conventional probe card of

Art Unit: 2829

Fig. 2. Therefore, all the claimed structural limitations (I.e., a substrate, a probe card, an electrical connection means and support means) are anticipated by the conventional prior art of Fig. 2. Note, the five components: (1) a frame having an increased length horizontal extension, (2) leaf springs with bends, (3) an insulating flexible membrane, (4) additional support structure and (5) a highly rigid interface tile id provided between the probes and a lower flexural strength space transformer substrate that applicants set forth on page 11 of the specification as invention are not recited in claims1-4, 6-12, 14-15, and 50-53.

Allowable Subject Matter

- 6. Claims 26-31 are allowed over the prior art.
- 7. Claims 12-13 and 43-46 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 8. The reason reasons for the indication of allowable subject matter are stated in the previous office action dated on 1-25-05.

Response to Amendment

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Application/Control Number: 10/771,099

Art Unit: 2829

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emily Y. Chan whose telephone number is 571-272-1956. The examiner can normally be reached on 8:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on 571-272-2034. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

EC 6-13-05

VINH NGUYEN PRIMARY EXAMINER

Page 6

06/22/05